


Beckers



Becker Acroma

Nitro-Cellulose and Pre-Catalysed Products


Clear and pigmented wood coatings for interior use



For interior use on: • Joinery • Furniture • Kitchens • Shopfitting • Offices • And more...

Advantages of NC and PC products: • Ready for use, single pack products • Fast drying formulations • Easy application






Solutions to suit your needs

Becker Acroma has a long history in developing quality wood coatings and our laboratories are constantly developing new products. Our nitro-cellulose and pre-catalysed products offer a range of solutions for your end use applications.

For advice on meeting VOC legislation or further guidance on products and application, talk to Becker Acroma or your local distributor.

Global products, locally

- Easy to apply
- Fast drying
- Available next day
- Over 40,000 stains and solid colours





N/C and P/C product details

Detailed information on all the products listed in our product selector is provided in the charts below.

For further information on each product, please consult the individual technical data sheets. Ask your local distributor or speak to Becker Acroma directly to gain a copy.

Spray application

All products are designed for spray application. Ask Becker Acroma or your local distributor for products suitable for other application methods.


Pigmented primers and topcoats

		Viscosity	Solids %	S.G.	Description
Primers	ND2012-9001	10-17 poise	51.3	1.15	White, one-pack standard primer range. Fast drying with good levelling and easy sanding.
	ND2001-9001	10-17 poise	60.5	1.32	White, one-pack high opacity primer range. Fast drying with good levelling and easy sanding.
Topcoat	NG2502-9001	60-70 secs B4 20°C	34.7	1.01	Ready-for-use, fast-drying topcoat. One-pack with good opacity. Provides good feel and surface slip.

Clear sealers and lacquers

		Viscosity B4 20°C (secs)	Solids %	S.G.	Description
Sealers	NL2004	68-72	27.3	1.039	High build nitro-cellulose basecoat. Fast drying with good levelling and easy sanding.
	NL2516	40-46	22.4	1.034	Nitro-cellulose sanding sealer.
	NL2501	40-45	27.8	1.041	Fast drying, high build pre-catalysed basecoat.
	NL2505	31-35	25.3	0.929	Standard Pre-Catalysed Basecoat. Excellent toughness and flexibility.
Lacquers	NM2002-00XX	40-45	24.1	0.91	One-pack, fast-drying lacquer. Finish offers excellent flow and good surface slip.
	NM2502-00XX	31-35	28.3	0.93	One-pack and fast-drying. More durable than NM2002. Do NOT use over NL2516 or NL2004.


Paint colour options



The pigmented product ranges can both be fully customised to meet any colour and shade.

Talk to your local distributor for further information.

Stain colour options



Water and solvent-based stains can both be used with the clear product ranges. Choice depends on many factors including application equipment, environmental conditions and substrate.

Bespoke stain matches are available. Ask your distributor for options.

Distributed by



Beckers



Becker Acroma

Becker Acroma Limited | Homefield Road | Haverhill | Suffolk | CB9 8QP | United Kingdom

Tel +44 (0)1440 765400 | Fax +44 (0)1440 761091

info@becker-acroma.co.uk | www.becker-acroma.co.uk